| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|------|---|--------------------|---------------------|---------|------------------|
| S1 | 11 | synchroni\$5 selector with external near2 clock with output near2 data | US-PGPUB; USPAT | AND | OFF | 2006/01/17 08:39 |
| S2 | 442 | synchroni\$5 selector with output near2 data near2 signal | US-PGPUB; USPAT | AND | OFF | 2006/01/12 07:44 |
| S3 | 2 | synchroni\$5 selector with output near2 data near2 signal same timing near2 adjust\$4 | US-PGPUB; USPAT | AND | OFF | 2006/01/12 07:44 |
| S4 | 317 | synchroni\$5 output near2 data near2 signal with external near2 clock | US-PGPUB; USPAT | AND | OFF | 2006/01/12 07:45 |
| S5 | 39 | synchroni\$5 output near2 data near2 signal with external near2 clock same select\$4 | US-PGPUB; USPAT | AND | OFF | 2006/01/12 07:50 |
| S6 | 34 | output near2 data near2 signal with external near2 clock with select\$3 | US-PGPUB; USPAT | AND | OFF | 2006/01/12 07:52 |
| S7 | 180 | output near2 data with external near2 clock with select\$3 | US-PGPUB; USPAT | AND | OFF | 2006/01/12 08:33 |
| S8 | 4. | output near2 data with external near2 clock with select\$3 same delay near2 adjust\$3 | US-PGPUB; USPAT | AND | OFF | 2006/01/12 07:52 |
| S9 | 5 | output near2 data with external near2 clock with select\$3 same delay near2 adjust\$4 | US-PGPUB; USPAT | AND | OFF | 2006/01/12 07:52 |
| S10 | 7381 | output near2 signal with clock with select\$3 | US-PGPUB; USPAT | AND | OFF | 2006/01/12 08:34 |
| S11 | 3687 | output near2 signal with clock with select\$3 synchroniz\$4 | US-PGPUB; USPAT | AND | OFF | 2006/01/12 08:34 |
| S12 | 0 | output near2 signal with clock with select\$3 same adjust\$4synchroniz\$4 | US-PGPUB; USPAT | AND | OFF | 2006/01/12 08:34 |
| S13 | 289 | output near2 signal with clock with select\$3 same adjust\$4 synchroniz\$4 | US-PGPUB; USPAT | AND | OFF | 2006/01/12 08:34 |
| S14 | 55 | output near2 signal with clock with selector same adjust\$4 synchroniz\$4 | US-PGPUB; USPAT | AND | OFF | 2006/01/12 08:36 |
| S15 | 2171 | data near2 signal with clock with select\$3 synchroniz\$4 | US-PGPUB; USPAT | AND | OFF | 2006/01/12 09:16 |
| S16 | 83 | data near2 signal with external near2 clock with select\$3 synchroniz\$4 | US-PGPUB; USPAT | AND | OFF | 2006/01/12 09:22 |
| S17 | 111 | data near2 output with external near2 clock with select\$3 synchroniz\$4 | US-PGPUB; USPAT | AND | OFF | 2006/01/12 09:25 |
| S18 | 1750 | data near2 output near2 circuit external near2 clock | US-PGPUB; USPAT | AND | OFF | 2006/01/12 09:27 |

| | | | | r | | |
|------------|------|--|------------------------------|-----|-----|------------------|
| S19 | 1522 | data near2 output near2 circuit external near2 clock synchron\$5 | US-PGPUB; USPAT | AND | OFF | 2006/01/12 09:27 |
| S20 | 957 | data near2 output near2 circuit external near2 clock select\$4 near2 circuit | US-PGPUB; USPAT | AND | OFF | 2006/01/12 09:28 |
| S21 | 160 | data near2 output near2 circuit external near2 clock select\$4 near2 circuit (dummy OR replica) near2 circuit | US-PGPUB; USPAT | AND | OFF | 2006/01/12 10:03 |
| S22 | 176 | data near2 output near2 circuit input near2 clock select\$4 near2 circuit (dummy OR replica) near2 circuit | US-PGPUB; USPAT | AND | OFF | 2006/01/12 10:26 |
| S23 | 4 | ("5255370" "5566108" "5740123" "5822255").PN. | US-PGPUB; USPAT; USOCR | AND | OFF | 2006/01/12 10:15 |
| S24 | 713 | data near2 strobe near2 output | US-PGPUB; USPAT | AND | OFF | 2006/01/12 10:26 |
| S25 | 44 | data near2 strobe near2 output with (input or external) near2 clock | US-PGPUB; USPAT | AND | OFF | 2006/01/12 10:34 |
| S26 | 5 | ("6215710" "6288971" "6407962" "6603686").PN. OR ("6791888").URPN. | US-PGPUB; USPAT; USOCR | AND | OFF | 2006/01/12 10:29 |
| S27 | 5 | ("5255370" "5566108" "5740123" "5822255").PN. OR ("6608743").URPN. | US-PGPUB; USPAT; USOCR | AND | OFF | 2006/01/12 10:30 |
| S28 | 8 | ("5585754" "6191632" "6392456" "6426900").PN. OR ("6552587").URPN. | US-PGPUB; USPAT; USOCR | AND | OFF | 2006/01/12 10:30 |
| S29 | 29 | data near2 strobe with (input or external) near2 clock with select\$4 | US-PGPUB; USPAT | AND | OFF | 2006/01/12 11:25 |
| S30 | 339 | data near2 strobe with (input or external) near2 clock | US-PGPUB; USPAT | AND | OFF | 2006/01/12 10:49 |
| S32 | 113 | data near2 strobe with (input or external) near2 clock data near2 strobe with output near2 circuit | US-PGPUB; USPAT | AND | OFF | 2006/01/12 10:49 |
| S33 | 49 | data near2 strobe with timing near2 adjust\$4 | US-PGPUB; USPAT | AND | OFF | 2006/01/12 11:27 |
| S34 | 10 | data near2 strobe with clock with timing near2 adjust\$4 | US-PGPUB; USPAT | AND | OFF | 2006/01/12 11:31 |
| S35 | 14 | data near2 strobe with clock with delay near2 adjust\$4 | US-PGPUB; USPAT | AND | OFF | 2006/01/12 11:33 |
| S36 | 16 | data near2 strobe adj5 adjust\$1 | US-PGPUB; USPAT | AND | OFF | 2006/01/12 11:34 |
| S37 | 0 | (data near2 strobe near4 (input OR external) adj2 clock) adj5 adjust\$1 | US-PGPUB; USPAT | AND | OFF | 2006/01/12 11:34 |
| S38 | 0 | (data near2 strobe near6(input OR external) adj2 clock) adj5 adjust\$1 | US-PGPUB; USPAT | AND | OFF | 2006/01/12 11:34 |

| | | | | T | |
|-----|--|---|--|--|---|
| 3 | (data near2 strobe near4 clock) adj5 adjust\$1 | US-PGPUB; USPAT | AND | OFF | 2006/01/12 11:34 |
| 0 | data near2 strobe with output near2 circuit with phase near2 comparision | US-PGPUB; USPAT | AND | OFF | 2006/01/12 13:22 |
| 0 | data near2 strobe with dada near2 circuit with phase near2 comparision | US-PGPUB; USPAT | AND | OFF | 2006/01/12 13:22 |
| 0 | data near2 strobe with data near2 circuit with phase near2 comparision | US-PGPUB; USPAT | AND | OFF | 2006/01/12 13:22 |
| 0 | data near2 strobe with phase near2 comparision | US-PGPUB; USPAT | AND | OFF | 2006/01/12 13:22 |
| 2 | data near2 strobe with phase near2 comparison | US-PGPUB; USPAT | AND | OFF | 2006/01/12 13:22 |
| 2 | data near2 strobe with data near2 circuit with phase near2 comparison | US-PGPUB; USPAT | AND | OFF | 2006/01/12 13:23 |
| 2 | data near2 strobe with phase near2 comparison | US-PGPUB; USPAT | AND | OFF | 2006/01/12 13:23 |
| 382 | data near2 strobe with phase | US-PGPUB; USPAT | AND | OFF | 2006/01/12 13:24 |
| 981 | data near2 strobe with timing | US-PGPUB; USPAT | AND | OFF | 2006/01/12 13:24 |
| 107 | data near2 strobe with timing near2 circuit | US-PGPUB; USPAT | AND | OFF | 2006/01/12 13:24 |
| 37 | data near2 strobe with clock with timing near2 circuit | US-PGPUB; USPAT | AND | OFF | 2006/01/12 13:24 |
| 2 | data near2 strobe with clock with timing near2 circuit with select\$5 | US-PGPUB; USPAT | AND | OFF | 2006/01/12 13:25 |
| 37 | data near2 strobe with clock with timing near2 circuit | US-PGPUB; USPAT | AND | OFF | 2006/01/12 14:04 |
| 11 | data near2 strobe near5 select\$4 adj2 circuit | US-PGPUB; USPAT | AND | OFF | 2006/01/12 14:08 |
| 891 | output near2 signal near4 (input or external) near2 clock with select\$5 | US-PGPUB; USPAT | AND | OFF | 2006/01/12 14:08 |
| 184 | output near2 signal near4 (input or external) near2 clock with select\$5 near2 circuit | US-PGPUB; USPAT | AND | OFF | 2006/01/12 14:41 |
| 1 | output near2 signal near4 (input or external) near2 clock with select\$5 near2 circuit with adjust\$4 near2 delay | US-PGPUB; USPAT | AND | OFF | 2006/01/12 14:36 |
| 2 | output near2 data near2 circuit with driv\$3 near2 delay near2 signal | US-PGPUB; USPAT | AND | OFF | 2006/01/12 14:43 |
| 205 | output near2 data near2 circuit with delay near2 signal | US-PGPUB; USPAT | AND | OFF | 2006/01/12 14:45 |
| | 0 0 2 2 2 382 981 107 37 2 37 11 891 184 | adj5 adjust\$1 data near2 strobe with output near2 circuit with phase near2 comparision data near2 strobe with dada near2 circuit with phase near2 comparision data near2 strobe with data near2 circuit with phase near2 comparision data near2 strobe with phase near2 comparision data near2 strobe with phase near2 comparision data near2 strobe with phase near2 comparison data near2 strobe with phase data near2 strobe with phase data near2 strobe with timing data near2 strobe with timing near2 circuit data near2 strobe with clock with timing near2 circuit data near2 strobe with clock with timing near2 circuit data near2 strobe with clock with timing near2 circuit data near2 strobe with clock with timing near2 circuit data near2 strobe near5 select\$4 adj2 circuit output near2 signal near4 (input or external) near2 clock with select\$5 near2 circuit output near2 signal near4 (input or external) near2 clock with select\$5 near2 circuit output near2 signal near4 (input or external) near2 clock with select\$5 near2 circuit output near2 signal near4 (input or external) near2 clock with select\$5 near2 circuit output near2 signal near4 (input or external) near2 clock with select\$5 near2 circuit with adjust\$4 near2 delay output near2 data near2 circuit with driv\$3 near2 delay near2 signal output near2 data near2 circuit with | adj5 adjust\$1 0 data near2 strobe with output near2 circuit with phase near2 comparision 0 data near2 strobe with dada near2 circuit with phase near2 comparision 0 data near2 strobe with data near2 circuit with phase near2 comparision 0 data near2 strobe with data near2 comparision 0 data near2 strobe with phase near2 comparision 1 data near2 strobe with phase near2 comparision 2 data near2 strobe with data near2 circuit with phase near2 circuit with phase near2 comparison 2 data near2 strobe with data near2 circuit with phase near2 comparison 2 data near2 strobe with phase near2 comparison 382 data near2 strobe with phase near2 comparison 4 data near2 strobe with phase 4 data near2 strobe with phase 5 data near2 strobe with timing 6 data near2 strobe with timing 6 data near2 strobe with clock with timing near2 circuit 7 data near2 strobe with clock with timing near2 circuit 8 data near2 strobe with clock with timing near2 circuit 1 data near2 strobe with clock with timing near2 circuit 1 data near2 strobe near5 select\$4 adj2 circuit 1 data near2 signal near4 (input or external) near2 clock with select\$5 near2 circuit with select\$5 near2 circuit with near2 dock with select\$5 near2 circuit with near2 clock with select\$5 near2 circuit with adjust\$4 near2 delay 2 output near2 data near2 circuit with driv\$3 near2 data near2 circuit with driv\$3 near2 data near2 circuit with driv\$3 near2 data near2 circuit with us-PGPUB; us-PGP | adj5 adjust\$1 0 data near2 strobe with output near2 circuit with phase near2 comparision 0 data near2 strobe with dada near2 uspAT 0 data near2 strobe with data near2 uspAT 0 data near2 strobe with data near2 uspAT 0 data near2 strobe with phase near2 uspAT 0 data near2 strobe with phase near2 uspAT 10 data near2 strobe with phase near2 uspAT 10 data near2 strobe with phase near2 uspAT 10 data near2 strobe with data near2 uspAT 10 data near2 strobe with phase near2 uspAT 10 data near2 strobe with data near2 uspAT 10 data near2 strobe with phase uspAT 10 data near2 strobe with timing near2 uspAT 10 data near2 strobe with timing near2 uspAT 10 data near2 strobe with clock with uspAT 11 data near2 strobe with clock with timing near2 circuit with select\$5 12 data near2 strobe with clock with timing near2 circuit uspAT 13 data near2 strobe with clock with timing near2 circuit with select\$5 14 data near2 strobe near5 select\$4 15 data near2 strobe near5 select\$4 16 uspAT 17 data near2 strobe near5 select\$4 18 output near2 signal near4 (input or external) near2 clock with select\$5 18 near2 circuit 1 output near2 signal near4 (input or external) near2 clock with select\$5 18 near2 circuit with adjust\$4 near2 delay 2 output near2 data near2 circuit with driv\$3 near2 delay near2 signal 20 output near2 data near2 circuit with driv\$3 near2 delay near2 signal 20 output near2 data near2 circuit with driv\$3 near2 delay near2 signal 20 output near2 data near2 circuit with driv\$3 near2 delay near2 signal 20 output near2 data near2 circuit with driv\$3 near2 delay near2 signal 20 output near2 data near2 circuit with driv\$3 near2 data near2 circuit with driv\$4 near2 delay near2 signal 20 output near2 data near2 circuit with driv\$4 near2 delay near2 signal | adj5 adjust\$1 data near2 strobe with output near2 circuit with phase near2 cromparision data near2 strobe with dada near2 circuit with phase near2 comparision data near2 strobe with data near2 circuit with phase near2 comparision data near2 strobe with data near2 circuit with phase near2 comparision data near2 strobe with data near2 circuit with phase near2 comparison data near2 strobe with phase near2 comparison data near2 strobe with phase near2 comparison data near2 strobe with phase near2 us-PGPUB; us-PGPUB |

| | | | | , | , | |
|-----|-------|---|------------------------------|-----|-----|------------------|
| S59 | 46 | output near2 data near2 circuit with adjust\$4 near3 delay | US-PGPUB; USPAT | AND | OFF | 2006/01/12 14:59 |
| S60 | 10 | ("5717353" "6100736" "6127895").PN. OR ("6313676"). URPN. | US-PGPUB; USPAT; USOCR | AND | OFF | 2006/01/12 14:50 |
| S61 | 4 | ("2001/0021953").URPN. | USPAT | AND | OFF | 2006/01/12 14:52 |
| S62 | 43 | data near2 strobe with adjust\$4 near3 delay | US-PGPUB; USPAT | AND | OFF | 2006/01/12 14:59 |
| S63 | 9 | data near2 strobe near4 clock with adjust\$5 near2 circuit | US-PGPUB; USPAT | AND | OFF | 2006/01/12 15:37 |
| S64 | 215 | data near2 signal near4 clock with adjust\$5 near2 circuit | US-PGPUB; USPAT | AND | OFF | 2006/01/12 15:37 |
| S65 | 39 | data near2 signal near4 output near2 clock with adjust\$5 near2 circuit | US-PGPUB; USPAT | AND | OFF | 2006/01/12 15:39 |
| S66 | 55 | data near2 output near2 clock with adjust\$5 near2 circuit | US-PGPUB; USPAT | AND | OFF | 2006/01/12 15:40 |
| S67 | 8 | data near2 output near2 clock with adjust\$5 near2 delay near2 circuit | US-PGPUB; USPAT | AND | OFF | 2006/01/12 15:39 |
| S68 | 27 | data near2 circuit near2 output with adjust\$3 near3 delay | US-PGPUB; USPAT | AND | OFF | 2006/01/17 09:13 |
| S69 | 55203 | output near2 signal near6 (phase OR delay) near2 signal | US-PGPUB; USPAT | AND | OFF | 2006/01/17 09:14 |
| S70 | 1712 | output near2 signal near6 produce near2 (phase OR delay) near2 signal | US-PGPUB; USPAT | AND | OFF | 2006/01/17 09:14 |
| S71 | 19 | output near2 data near2 signal near6 produce near2 (phase OR delay) near2 signal | US-PGPUB; USPAT | AND | OFF | 2006/01/17 09:16 |
| S72 | 1481 | output near2 data near2 signal near6 (phase OR delay) near2 signal | US-PGPUB; USPAT | AND | OFF | 2006/01/17 09:16 |
| S73 | 65 | output near2 data near2 signal near6 (phase OR delay) near2 signal near2 adjust\$5 | US-PGPUB; USPAT | AND | OFF | 2006/01/17 09:16 |
| S74 | 4 | ("4427895" "5493433" "6239892").PN. OR ("6437889"). URPN. | US-PGPUB; USPAT; USOCR | AND | OFF | 2006/01/17 09:23 |
| S75 | 31 | ("4386323" "4453259" "4795985" "5105108" "5164677" "5192886" "5355037" "5457718" "5463337" "5463655" "5646564" "5663665" "5771264").PN. OR ("6043694"). URPN. | US-PGPUB; USPAT; USOCR | AND | OFF | 2006/01/17 09:24 |
| S76 | 7 | data near2 output near4 feedback adj4(delay OR phase) near2 circuit | US-PGPUB; USPAT | AND | OFF | 2006/01/17 10:33 |